



### Lab Coat Request Form

- Complete sections (A-C) of this form to request new, additional or replacement lab coats. View the following:
  - Three fluid resistant** lab coats are **initially** assigned to an individual. Additional or replacement lab coats may be requested.
  - Nomex flame resistant** lab coats are **shared** and **assigned** to a **building** and **floor**. Additional or replacement lab coats may be requested for your building and floor.
- Submit completed form to [labsafety@chla.usc.edu](mailto:labsafety@chla.usc.edu). Estimated time for delivery is 2-5 weeks.

A. Personnel Information		
Name:		Request Date:
Email:		Phone:
Principal Investigator, Manager or Supervisor:		
B. Location Information		
Building: <input type="checkbox"/> Saban	Floor: <input type="checkbox"/> 3 <sup>rd</sup> <input type="checkbox"/> 4 <sup>th</sup> <input type="checkbox"/> 5 <sup>th</sup>	Room:
Building: <input type="checkbox"/> Smith	Floor: <input type="checkbox"/> 1 <sup>st</sup> <input type="checkbox"/> 2 <sup>nd</sup> <input type="checkbox"/> 3 <sup>rd</sup> <input type="checkbox"/> 4 <sup>th</sup> <input type="checkbox"/> 5 <sup>th</sup> <input type="checkbox"/> 6 <sup>th</sup> <input type="checkbox"/> 8 <sup>th</sup> <input type="checkbox"/> 9 <sup>th</sup> <input type="checkbox"/> 10 <sup>th</sup>	Room:
Building: <input type="checkbox"/> Wilshire	Floor: <input type="checkbox"/> 12 <sup>th</sup>	Suite:
C. Lab Coat Information		
Lab Coat Type: <input type="checkbox"/> Fluid Resistant <input type="checkbox"/> Nomex Flame Resistant		
Request Type: <input type="checkbox"/> New <input type="checkbox"/> Additional <input type="checkbox"/> Replacement		
Quantity Requested:		Lab Coat Size: <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> 1XL <input type="checkbox"/> 2XL <input type="checkbox"/> 3XL

Lab Safety Office Use Only:

Submission Date:		Account:		Barcode ID:	
Comment(s):					